



(12) **United States Patent**
Oral et al.

(10) **Patent No.:** **US 9,454,601 B2**
(45) **Date of Patent:** ***Sep. 27, 2016**

(54) **SYSTEM AND METHOD FOR PROVIDING GRAPHICAL REPRESENTATIONS OF SEARCH RESULTS IN MULTIPLE RELATED HISTOGRAMS**

(75) Inventors: **Tolga Oral**, Arlington, MA (US);
David L. Newbold, West Roxbury, MA (US); **Martin M. Wattenberg**,
Winchester, MA (US); **Michael Bolin**,
East Brunswick, NJ (US)

(73) Assignee: **INTERNATIONAL BUSINESS MACHINES CORPORATION**,
Armonk, NY (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 2730 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **11/950,753**

(22) Filed: **Dec. 5, 2007**

(65) **Prior Publication Data**

US 2008/0082513 A1 Apr. 3, 2008

Related U.S. Application Data

(63) Continuation of application No. 10/910,617, filed on Aug. 4, 2004.

(51) **Int. Cl.**
G06F 7/00 (2006.01)
G06F 17/30 (2006.01)

(52) **U.S. Cl.**
CPC .. **G06F 17/30696** (2013.01); *Y10S 707/99933* (2013.01); *Y10S 707/99934* (2013.01)

(58) **Field of Classification Search**
USPC 707/711, 741, 751, 748, 752; 1/1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,982,369 A	11/1999	Sciammarella et al.	345/349
5,999,968 A	12/1999	Tsuda	709/213
6,012,053 A	1/2000	Pant et al.	707/3
6,026,388 A *	2/2000	Liddy et al.	
6,041,331 A	3/2000	Weiner et al.	707/103
6,070,158 A	5/2000	Kirsch et al.	707/3
6,243,091 B1	6/2001	Berstis	345/349
6,253,198 B1	6/2001	Perkins	707/3

(Continued)

OTHER PUBLICATIONS

Havre et al., Interactive Visualization of Multiple Query Results (Information Visualization, 2001. INFOVIS 2001. IEEE Symposium on Date: Oct. 22-23, 2001).*

(Continued)

Primary Examiner — Usmaan Saeed

Assistant Examiner — Paul Kim


(74) *Attorney, Agent, or Firm* — Cuenot, Forsythe & Kim, LLC

(57) **ABSTRACT**

A system and method are provided for enabling a user to search for documents that the user has previously viewed on its local machine. The system includes three main components: the desktop integration module, the index module, and the graphical user interface module. The desktop integration module is an application which monitors documents with which the user interacts for predetermined events, and obtains content data and metadata from the monitored documents. The index module indexes the content data and metadata received from the desktop integration module. The graphical user interface module then permits a user to utilize the desktop integration module and index module by allowing a user to search for a document.

6 Claims, 12 Drawing Sheets

700



(56)

References Cited

U.S. PATENT DOCUMENTS

6,272,507	B1	8/2001	Pirolli et al.	707/513
6,285,996	B1	9/2001	Jou et al.	707/4
6,295,527	B1	9/2001	McCormack et al.	707/3
6,317,718	B1	11/2001	Fano	705/1
6,356,898	B2	3/2002	Cohen et al.	707/5
6,473,752	B1	10/2002	Fleming, III	707/4
6,507,872	B1	1/2003	Geshwind	709/236
6,592,629	B1	7/2003	Cullen et al.	
6,598,054	B2	7/2003	Schuetze et al.	707/103 R
6,606,657	B1	8/2003	Zilberstein et al.	709/224
6,631,496	B1	10/2003	Li et al.	715/501.1
6,670,974	B1	12/2003	McKnight et al.	345/855
6,701,318	B2	3/2004	Fox et al.	707/10
6,775,665	B1	8/2004	Piersol	707/4
6,823,341	B1	11/2004	Dietz	707/100
6,889,220	B2	5/2005	Wolff et al.	707/1
6,892,196	B1	5/2005	Hughes	707/4
6,920,608	B1	7/2005	Davis	715/503
6,996,782	B2	2/2006	Parker et al.	715/764
7,062,497	B2	6/2006	Hamburg et al.	707/101
7,069,315	B1	6/2006	Harris	709/224
7,076,504	B1	7/2006	Handel et al.	707/104.1
7,092,934	B1	8/2006	Mahan et al.	707/3
7,162,473	B2	1/2007	Dumais et al.	707/5
7,225,187	B2	5/2007	Dumais et al.	707/5
7,305,381	B1	12/2007	Poppink et al.	707/3
7,340,459	B2 *	3/2008	Krohn et al.	707/748
7,343,365	B2	3/2008	Farnham et al.	707/1
7,395,260	B2	7/2008	Oral et al.	707/3
7,421,421	B2	9/2008	Newbold et al.	707/1
7,493,303	B2	2/2009	Newbold et al.	707/2
7,496,563	B2	2/2009	Newbold et al.	
7,523,191	B1	4/2009	Thomas et al.	
7,634,461	B2	12/2009	Oral et al.	707/3
7,831,601	B2	11/2010	Oral et al.	707/741
7,970,753	B2	6/2011	Oral et al.	707/711
8,032,513	B2	10/2011	Newbold et al.	707/711
8,103,653	B2	1/2012	Newbold et al.	707/711
2002/0019586	A1	2/2002	Teller et al.	
2002/0078035	A1	6/2002	Frank et al.	707/3
2002/0087600	A1	7/2002	Newbold	707/514
2002/0099812	A1	7/2002	Davis et al.	709/224
2002/0107735	A1	8/2002	Henkin et al.	705/14
2002/0129139	A1	9/2002	Ramesh	709/224
2002/0156917	A1	10/2002	Nye	709/238
2003/0018626	A1	1/2003	Kay et al.	707/3
2003/0033296	A1 *	2/2003	Rothmuller et al.	707/3
2003/0097361	A1	5/2003	Huang et al.	707/10
2003/0105589	A1	6/2003	Liu et al.	702/1
2003/0158839	A1	8/2003	Faybishenko et al.	707/3
2003/0158855	A1	8/2003	Farnham et al.	707/102
2003/0164856	A1	9/2003	Prager et al.	345/764
2003/0233618	A1	12/2003	Wan	715/513
2004/0044658	A1	3/2004	Crabtree et al.	707/3
2004/0088649	A1	5/2004	Elder et al.	715/501.1
2004/0093323	A1	5/2004	Bluhm et al.	707/3
2004/0128616	A1	7/2004	Kraft	715/513
2004/0139192	A1	7/2004	Spaid	709/224
2004/0153445	A1	8/2004	Horvitz et al.	707/3
2004/0153962	A1	8/2004	Bazoon	715/500
2004/0199491	A1	10/2004	Bhatt	707/2
2004/0205540	A1	10/2004	Vulpe et al.	715/511
2004/0249801	A1	12/2004	Kapur	707/3
2004/0267700	A1	12/2004	Dumais et al.	707/2
2004/0267730	A1	12/2004	Dumais et al.	707/3
2005/0027696	A1	2/2005	Swaminathan et al.	707/3

2005/0044066	A1	2/2005	Hooper et al.	707/3
2005/0055341	A1	3/2005	Haahr et al.	707/3
2005/0086239	A1	4/2005	Swann et al.	707/100
2005/0108234	A1	5/2005	Oksanen et al.	707/9
2005/0137996	A1	6/2005	Billsus et al.	707/1
2005/0138067	A1	6/2005	Billsus et al.	707/104.1
2005/0149858	A1	7/2005	Stern et al.	715/513
2005/0160083	A1	7/2005	Robinson	707/3
2005/0165740	A1	7/2005	Kerr et al.	707/3
2005/0165777	A1	7/2005	Hurst-Hiller et al.	707/4
2005/0165889	A1	7/2005	Muret et al.	
2005/0177805	A1	8/2005	Lynch et al.	715/968
2005/0283473	A1	12/2005	Roussio et al.	
2005/0289133	A1	12/2005	Arrouye et al.	707/4
2006/0031195	A1	2/2006	Patterson	707/3
2006/0031196	A1	2/2006	Oral et al.	
2006/0041521	A1	2/2006	Oral et al.	
2008/0270391	A1	10/2008	Newbold et al.	
2008/0301106	A1	12/2008	Oral et al.	
2009/0125490	A1	5/2009	Newbold et al.	
2009/0125513	A1	5/2009	Newbold et al.	
2010/0106727	A1	4/2010	Oral et al.	707/741
2010/0325158	A1	12/2010	Oral et al.	707/780

OTHER PUBLICATIONS

Microsoft Computer Dictionary, Microsoft Press, 3rd Edition, copyright 1997, p. 15.

Bell, Gordon, "MyLifeBits: Attempting to Realize the Memex Vision", PowerPoint Presentation, Microsoft Research, Feb. 2003, 48 pages.

Rupley, Sebastian, "Software to Watch Over Me", PC Mag.com, May 20, 2003, Ziff Davis Media Inc., printed from http://www.pcmag.com/print_article2/0,1217,a%253D41782,00.asp, 1 page.

Kanellos, Michael, "Microsoft Tackles Search Overload", *ZDNet News*, Apr. 18, 2003, printed from http://news.zdnet.com/2100-3513_22-128830.html, 5 pages.

Saitz, Greg, "Extreme Internship IBM Program Allows Interns' Projects to Become Products", *The Star-Ledger*, Aug. 7, 2003, 2 pages.

Metz, Cade, "A Glimpse of IBM's Future", *PC Magazine*, Aug. 11, 2003, 2 pages.

Newbold et al., "Total Recall" presentation presented during The Extreme Blue Technology Showcase in Armonk, NY on Aug. 5-6, 2003, 8 pages.

Newbold et al., "Total Recall" poster displayed during The Extreme Blue Technology Showcase in Armonk, NY during the week of Aug. 4, 2003, 1 page.

IBM Dictionary of Computing, compiled and edited by George McDaniel, definitions of Index, Index Build, Indexed Access, Index Entry, Index Search Information, etc., 1994, 5 pages.

Saitz, G. "Extreme Internship IBM Program Allows Interns' Projects to Become Products", *The Star-Ledger*, Aug. 7, 2003, 2 pgs.

Metz, C. "A Glimpse of IBM's Future", *PC Magazine*, Aug. 11, 2003, 2 pgs.

Newbold et al. "Total Recall" presentation presented during the Extreme Blue Technology Showcase in Armonk, NY Aug. 5-6, 2003, 8 pgs.

Newbold et al. "Total Recall" poster presented during The Extreme Blue Technology Showcase in Armonk, NY Aug. 5-6, 2003, 8 pgs.

U.S. Appl. No. 12/164,834 Non-Final Office Action, Feb. 14, 2011, 8 pgs.

U.S. Appl. No. 12/164,834 Final Office Action, Aug. 5, 2011, 9 pgs.

U.S. Appl. No. 12/164,834 Non-Final Office Action, Oct. 3, 2012, 11 pgs.

* cited by examiner




FIG. 1

200




FIG. 2

300




FIG. 3





FIG. 4

FIG. 5

500






FIG. 6

700




FIG. 7




FIG. 8




FIG. 9

1000




FIG. 10

1100

1112

Email -- Calendar		-	<input type="checkbox"/>	X
File Edit View Create Actions Help				
Inbox Drafts Sent All Documents Trash Calendar		July Monday 10:00AM Meeting regarding XYZ		
		Wednesday 11:00AM Meeting regarding ABC		
Tuesday		Thursday		

FIG. 11




FIG. 12

1

SYSTEM AND METHOD FOR PROVIDING GRAPHICAL REPRESENTATIONS OF SEARCH RESULTS IN MULTIPLE RELATED HISTOGRAMS

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 10/910,617, filed Aug. 4, 2004.

This application is related to commonly owned co-pending U.S. patent applications entitled "System and Method for Locating Documents a User has Previously Accessed," application Ser. No. 10/910,607; "System and Method for Utilizing a Desktop Integration Module to Collect User Metrics," application Ser. No. 10/910,606; "System and Method for Presenting Multi-Variable Dynamic Search Results Visualizations," application Ser. No. 10/910,568; "System and Method for Providing a Result Set Visualization of Chronological Document Use," application Ser. No. 10/910,641; "System and Method for Enhancing Keyword Relevance by User's Interest in the Search Result Document," application Ser. No. 10/910,577; "System and Method for Displaying Usage Metrics as Part of Search Results," application Ser. No. 10/910,603; "System and Method for Automatically Searching for Documents Related to Calendar and Email Entries," application Ser. No. 10/910,604; and "System and Method for Remotely Searching a Local User Index," application Ser. No. 10/910,640; each filed herewith and incorporated by reference in its entirety.

FIELD OF THE INVENTION

The invention relates to an application for searching a document that a user has previously viewed on user terminal device.

BACKGROUND OF THE INVENTION

Many programs enable a user to search for documents located on the computer device. For example, a user may be able to search for a document by entering search terms believed to reflect the document's title or by entering search terms believed to be included in the document text. However, conventional document management tools are limited in the amount of search criteria that a user may use to locate a particular desired document.

Often, users only remember, or have access to, small bits of information related to the document for which they are searching, such as, for example, the day and/or approximate time the document was accessed, a broad overview of what the document was about, and/or other details. Users are generally not good at creating search criteria, particularly based on such limited information, and would be better at modifying a search if they were give clues to form a more effective search.

It is an aspect of the invention to assist a user with searching specifically for documents the user has previously accessed by providing criteria that might enable the user to more easily locate a particular desired document.

It is another aspect of the invention to provide a graphical user interface with various features and functions to facilitate the user with locating the document once the search has been performed.

SUMMARY OF THE INVENTION

These and other objects are addressed through various embodiments of the invention. According to one aspect of

2

the invention, a system and method are provided for quickly and efficiently searching for and selectively retrieving one or more documents that a user has previously accessed. The previously accessed documents may or may not be located at the user's local workstation. As used herein, the term documents may refer to files such as, for example, Microsoft Word or Excel documents, email messages, web pages, media files, folders, and/or other files.

The system may include a desktop integration module, an index module, a graphical user interface module, and/or other modules. The desktop integration module may monitor documents with which the user interacts for predetermined events and obtain content data and metadata from the monitored documents. The index module may index the content data and metadata received from the desktop integration module. The graphical user interface module may then permit a user to utilize the index module by allowing a user to search for documents.

The desktop integration module may monitor documents that the user views, edits, creates, or otherwise accesses for predetermined events. For example, the desktop integration module may track each time a user opens a document and each time the user closes the same document, enabling the duration of document interaction to be determined. The desktop integration module may obtain content data, such as keywords, title of the document, author of the document, and/or other control data and metadata determined from the predetermined events for the monitored documents, and transfer the content data and metadata to the index module.

The index module may index parameters that enable the user to search and filter the monitored documents. For each document monitored by the desktop integration module, the index may include parameters such as, for example, the date created, the date opened, the date closed, the date modified, the amount of time spent on a document, the date printed, the date sent, the number of times of document was accessed, and/or other parameters. The index module may also store keywords from the document, the title of the document, and/or the author of the document. These parameters in the index module may be determined from the content data and metadata collected by the desktop integration module. A filter may be provided, enabling user to specify documents that are not to be indexed, such as a default home page or personal email.

The graphical user interface module may enable a user to perform searches of the index created by the index module and therefore locate a document which has been previously accessed by the user. The results reflect documents considered relevant in content based on the search terms and other parameters entered by the user such as, for example, dates and selected applications. The user may browse the search results and/or sort the result set by various criteria for ease of viewing.

According to one aspect of the invention, desktop integration module may include one or more subsystems, such as, for example, application plug-ins, a communications module, a user interaction module, a document filter module, and/or other modules. The desktop integration module may track each instance in which a user enters a URL to access a web page. In some embodiments, the desktop integration module may track web pages that a user visits by accessing a link on a page for which a URL was entered. In other embodiments, the desktop integration module may track an instance where the user opens a Word document or reads an email.

A document filter module may be provided to enable a user to specify documents that should not be monitored or

indexed. For example, documents that a user commonly accesses or documents that contain private information such as, for example, online bank account statements or web-pages with the “https” protocol may be filtered and not indexed.

Application plugins may extract information from documents such as, for example, document type, content, and/or author. Communications module may be used to queue documents being retrieved from application plugins to the index module. Communications module may also convert documents from their native format, such as, for example, .DOC or .XLS, to a common XML format. User interaction module may interact with application plugins to track the amount of time a user spends interacting with a document.

According to another aspect of the invention, the graphical user interface module may present a graphical user interface having multiple graphical visualizations of a search results set. A calendar may be displayed indicating when a user has accessed a document in the search results set. A document usage histogram may be displayed illustrating all documents that the user has accessed compared to those documents matching the search query.

According to another aspect of the invention, a histogram displayed on a graphical user interface may allow a user to see the context of the result set against their own document usage. Vertical lines may be presented indicating documents that match the search query. The vertical lines may be of varying heights, indicating the relevance of the document to the search query.

According to another aspect of the invention, multiple related histograms may be provided. The histograms may represent the relevance of the search results, as well as the number of documents matching the search criteria for a given day. The histogram may have one axis displaying, for example, dates and times, and another axis displaying, for example, the amount of time spent on a particular document.

According to another aspect of the invention, better search results for specific users may be returned by enhancing the result set rankings according to a specific user’s interest in the document. User metrics may be collected during a user’s interaction with other documents to enhance keyword relevance rankings. User metrics may include the time spent on a document, frequency with which the document was viewed, whether the document is printed, and/or other metrics. The amount of time a user has spent on a document may be measured if one or more criteria such as, for example, whether the document is in focus and/or whether some type of input has been received relative to the document within a particular time interval, are met.

According to another aspect of the invention, historical data related to a user’s interaction with a document may be provided with a search results set. This may allow a user to more readily distinguish between documents in the results set.

A user may view metrics obtained by the desktop integration module by performing a triggering action, for example, by right-clicking on a document in the results set or other triggering action. Performing the triggering action may cause the calendar and histogram views to change, reflecting the additional information.

According to one aspect of the invention, the search system may be embedded into a user’s calendar and/or email application. The user may then generate search queries by performing a triggering action on a selected calendar or email entry. The search query may include, for example, the

title of a meeting, meeting attendees, dates, keywords in the body of the calendar or email entry, and/or other query options.

According to another aspect of the invention, a system and method may be provided, enabling users to search a local workstation from an enterprise portal. This may enable the user to search their local workstation as well as other document management systems simultaneously. An index control program and a web responder may be downloaded to a user’s workstation. Documents may then be indexed at the user workstation and inbound query requests by an enterprise portal server may be accepted.

A user may perform a search of their workstation through an enterprise portal. The search query may be processed at the local workstation and results may be returned in a format compatible with the enterprise server.

Other objects and features of the invention will become apparent from the following detailed description considered in connection with the accompanying drawings. The drawings are designed for purposes of illustration only and the invention is not limited to the particulars shown therein. Various alternatives and modifications within the scope of the invention will be apparent from the description contained herein.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram illustrating a system for searching for previously accessed documents, according to an embodiment of the invention.

FIG. 2 illustrates a graphical user interface, according to an embodiment of the invention.

FIG. 3 illustrates a web portal having an embedded search field, according to an embodiment of the invention.

FIG. 4 is a flowchart illustrating an operation of a desktop integration module, according to an embodiment of the invention.

FIG. 5 illustrates a graphical user interface, according to one embodiment of the invention.

FIG. 6 illustrates a chronology histogram, according to an embodiment of the invention.

FIG. 7 illustrates another chronology histogram, according to an embodiment of the invention.

FIG. 8 illustrates a graphical user interface, according to an embodiment of the invention.

FIG. 9 illustrates a graphical user interface, according to an embodiment of the invention.

FIG. 10 illustrates a results set listing, according to an embodiment of the invention.

FIG. 11 illustrates a calendar view from an email program, according to an embodiment of the invention.

FIG. 12 is a block diagram of a system for searching from a remote portal, according to an embodiment of the invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

According to one embodiment of the invention, a system **100** may be provided enabling a user to search for and/or selectively retrieve documents that the user has previously accessed. FIG. 1 is a block diagram of system **100**, according to an embodiment of the invention. A search agent **102** may be provided. Search agent **102** may include one or more modules such as, for example, a desktop integration module **104**, an index module **106**, a graphical user interface module **108**, and/or other modules. Search agent **102** may be located

5

at a user terminal **110**. In some embodiments, certain modules such as, for example, index module **104** may be implemented at user terminal **110**, while other modules may be implemented at user terminal **110** or remotely. Other variations may be used, as would be apparent.

User terminal **110** may include any one or more of, for example, a desktop computer, a laptop or other portable computer, a hand-held computer device such as a BlackBerry, a Personal Digital Assistant (PDA), and/or any other terminal device. User terminal device **110** may be connected to an enterprise portal server **112** over a network **114** via a communications link **116**.

Server **112** may enable a user to remotely search for documents the user has accessed, even if these documents are stored at the user's terminal device. Server **112** may be or include, for example, a workstation running Microsoft Windows™ NT™, Unix, Linux, Novell Netware™, and/or other operating systems. Network **114** may include any one or more networks, such as, for example, the Internet, an intranet, a Local Area Network (LAN), and/or other networks. Communications link **116** may include any one or more communications links such as, for example, a copper telephone line, a Digital Subscriber Line (DSL) connection, an Ethernet connection, an Integrated Services Digital Network (ISDN) line, a wireless connection, or other communications link.

Desktop integration module **104** may be provided to monitor documents accessed by a user for predetermined events. Desktop integration module **104** may monitor any document that the user views, edits, creates, prints, downloads, or otherwise accesses. These predetermined events may be or include, for example, opening a document, closing a document, printing a document, emailing a document, and/or other predetermined events.

Index module **106** may receive data from desktop integration module **104** and put the data into a format that may be searched by a user using a graphical user interface. Index module **106** may enable a user to filter search results by, for example, a date or date range, a document type, and/or other parameters. A user may specify certain documents that should not be indexed, such as, for example, a default homepage or a search index. Graphical user interface module **108** may provide a graphical user interface (GUI) that enables a user to search for a previously accessed document.

A user may initiate a query from a search portlet located on the user's portal page by using a traditional keyword search terms. The portal software may then direct the query to index module **106** and search results may be presented to the user in a new graphical user interface. A graphical user interface for displaying search results and modifying a search is described in detail hereinafter.

FIG. 2 illustrates an example of a portal page **200** having a search portlet **202** embedded therein. If a user enters a keyword search into search portlet **202** and does not have the system software for searching the local index stores on their workstation, the software may automatically be downloaded from server **112**. The user may be presented with a dialog box where the user may be asked if they would like to install the system. Once the user has consented to install the components, the index and a control program are downloaded and installed. Once installed, the program may begin to create an index of documents the user has accessed by searching well known browser caches for web documents and/or intercepting calls to known productivity applications.

A desktop integration module may monitor predetermined events by retrieving content data and metadata from the applications used to access the documents. Metadata may

6

refer to data describing an action taken by the user such as, for example, choosing a "document open" or a "document close" action. Metadata may also indicate the date and/or time a document was accessed. Content data may include data such as, for example, words found in the document, keywords stored with the document, a name of the document, an author of the document, and/or other content data. In some embodiments, keywords may be specified by the user when creating or modifying a document. In some embodiments, keywords may be determined by desktop integration module **104** based on the frequency of occurrence of certain words in the document.

According to one embodiment of the invention, desktop integration module may include one or more subsystems. FIG. 3 illustrates desktop integration module **300**, according to an embodiment of the invention. Desktop integration module **300** may include one or more modules such as, for example, an applications plugin module **302**, a communications module **304**, a user interaction module **306**, a document filter module **308**, and/or other modules.

Application plugin module **302** may include one or more stand alone modules which may be instantiated when an application matching a specified type is started by the user or an operating system at the user's terminal. Application plugin module **302** may extract information from documents such as, for example, the document type, content as text, author, size, creation date, and/or other document information. Application module **302** may also collect information related to a user's access of or interaction with a document, such as, for example, whether a user forwards an email or other document, edits a document, prints a document, and/or other user access.

Application plugin module **302** may be connected to communications module **304** through a standard plugin interface. Communications module **304** may submit documents being retrieved from application plugin module **302** to index module **106**, enabling the documents to later be searched. Communications module **304** may convert documents into a format that can be readily indexed, such as, for example, from a binary .DOC format to a XML format.

User interaction module **306** may monitor an amount of time a document is accessed by the user. In some embodiments of the invention, user interaction module **306** may be integrated with the operating system used at the user's terminal to track the duration of a user's access of a document. For example, in a Microsoft Windows operating environment, Windows application programming interfaces, which may register file open and close operation, may be used to track the duration of a user's access of a document.

In some embodiments of the invention, some documents need not be tracked and indexed by the system. Document filters module **308** may be used to filter out documents that should not be tracked by the system. A user may define filters based on a number of factors such as, for example, document type, uniform resource identifiers (URIs), and/or other factors. For example, documents in the Microsoft Money application format may have personal financial information, so a user may wish to define a filter for excluding these documents from the index. Documents having URIs known to contain personal information such as, for example, "c:\Document Settings\User\Personal", or documents having URIs beginning with "https://" may be omitted. A user may also define filters for documents that are commonly accessed, such as a default browser homepage, or a search engine such as Google. Plugin specific filters may also be defined for omitting documents, such as emails from certain addresses, from being indexed.

FIG. 4 illustrates an example of the operation of desktop integration module 300. At an operation 402, an application, such as, for example, Internet Explorer, may be started by a user. The user may click on the Internet Explorer icon to start up the browser. At an operation 404, an application plugin specific for Internet Explorer may start up. The application plugin may search for a communications module, or start a new singleton process, at an operation 406. At an operation 408, the browser may open up to a default homepage. The application plugin would then perform a filter check on the homepage URI to determine if the homepage is one that should not be indexed, as illustrated at an operation 410. As illustrated at an operation 412, if a filter has been set up for the current URI, no information is gathered, and no index entry is created. If no filter has been set up for the URI, an application plugin session may be created to track user activity, as illustrated at an operation 414. At an operation 416, user activity information may be collected and submitted to an index module.

According to one embodiment of the invention, graphical user interface module 108 may provide a graphical user interface for displaying search results and enabling a user to enter additional search criteria. FIG. 5 illustrates a graphical user interface 500, according to one embodiment of the invention. Following an initial keyword search execution via portlet 202, GUI 500 may be presented having results set 502. Results displayed in results set 502 may be sorted in various ways such as, for example, by relevance, document type, alphabetically, chronologically, and/or other sorting methods. Sorting menu 504 may be provided, enabling a user to select a desired sorting method.

A user may choose to view only documents of a certain type by selecting one or more document type filters 506. Additional keywords may be entered or a new search may be executed by entering search terms into query box 508. Selecting recall button 510 may enable a search to be performed of all documents the user has previously accessed matching the search criteria.

In addition to standard search results displayed in search results box 502, various graphical visualizations may be provided. A calendar 512 may be provided. Calendar 512 may include indicia 514 indicating days on which documents from the search result set have been accessed. Indicia 514 may indicate the first time a user has accessed a document, or in other embodiments may indicate each access by the user. As illustrated in FIG. 5, indicia 514 may include highlighting a particular calendar day or days. Other visual indicators may be used, as would be apparent. A user may restrict results displayed in search results box 502 by selecting one or more dates from calendar 512. Results box 502 entries may then be limited to documents which have been accessed on the selected dates.

A histogram 516 may be provided for controlling the result set in a similar manner to calendar 512. A user may select either end of bounding box 518 to dynamically revise the result set, showing only those results within the selected date range. Histogram 516 may illustrate documents matching the search query in addition to all documents accessed by the user, allowing the user to see which documents were used within which sequence. For example, dark colored vertical lines 520a may indicate documents that match the search criteria, while light colored vertical lines 520b may indicate all other documents the user has accessed. Other visual indications may be used, as would be apparent.

According to an embodiment of the invention, a user may retrieve a chronological display of document usage. FIG. 6 illustrates a chronology histogram 600, according to this

embodiment of the invention. Chronology histogram 600 may be provided wherein both results set documents and other used documents are shown as vertical bars on a horizontal timeline. Horizontal timeline 602 provides a date range for which chronology information may be obtained. This date range may be extended by selecting and dragging the ends of bounding box 604 outward. The date range may also be contracted by dragging the ends of bounding box 604 inward.

In addition to the timeline on the horizontal axis, the height of each bar may provide additional information to the user about a document. The height of vertical lines may indicate the relevance of each document to the search query. In an alternative embodiment, the height of the vertical lines may indicate a specific usage pattern such as, for example, the amount of time spent working in a specific document. A user's usage activity may be recorded by Desktop Integration Module (shown in FIG. 1) and this information may be normalized to display a usage summary on chronology histogram 600.

Selecting a vertical line may open the selected document directly. In other embodiments, selecting a vertical line may cause a popup window 606 to be displayed. Pop-up window 606 may display a result set summary for the selected document. Summary information displayed in popup window 606 may include, for example, the document name, document location, document type, a summary of the document content, and/or other document related information.

According to one aspect of the invention, multiple variables may be characterized on the vertical axis of a chronology histogram. FIG. 7 illustrates a chronology histogram 700, according to this embodiment of the invention. Displaying multiple variables may enable a user to quickly and efficiently locate a desired document. As illustrated, chronology histogram 700 displays both relevance of search results documents to the entered keywords as well as the amount of time spent accessing or interacting with the document. Other document characteristics may be displayed such as, for example, the number of hits.

Vertical axis 701 may provide multiple variables such as, for example, a relevance variable 702 and a duration variable 703. White boxes 704 may be provided to illustrate the time a user has spent on a document. This time may be illustrated for all documents a user has accessed, whether or not a particular document matches the search criteria. Shaded boxes 706 may indicate the relevance of one or more documents matching the criteria. Horizontal axis 708 may indicate one or more dates a document was accessed. Horizontal axis 708 may also indicate, chronologically, the order in which a document was accessed. In some embodiments of the invention, horizontal axis 708 may provide a time display, indicating the time interval in which a document was accessed.

According to one aspect of the invention, relevance calculations for search results are enhanced for a specific user by collecting user metrics during the user's interaction with the document. In addition to ranking documents based on the frequency and location of keyword hits and the proximity of query keyword hits to each other, the invention may collect metadata using desktop integration module 104 (illustrated in FIG. 1). Collected metadata may include, for example, the amount of time spent on a document, how often a document has been viewed, or otherwise accessed, whether or not the document was printed or emailed, and/or other document related actions.

Certain criteria may be required in order to determine the amount of time a user has spent interacting with a document.

For example, it may be a requirement that the user has the document open and in focus. In focus may refer to having the selected document as the active window when multiple documents and/or applications are open. A user may be required to perform some type of input/output operation within a predetermined time interval in order for time calculation to continue. For example, the input/output operation may be a keystroke or mouse movement.

Once the criteria have been satisfied, the collected metadata may be entered into the index using index module **106** (illustrated in FIG. 1). Opening a document multiple times may cause metadata to be obtained for both frequency and duration of use. For example, a document that has been opened three times may show a frequency of three, and the total amount of time spent among the three accesses may be combined to calculate the amount of time the user has spent on the document.

According to another aspect of the invention, metrics regarding a user's interaction with one or more documents may be presented to the user on a graphical user interface. Presenting user metrics to the user may enable the user to more readily distinguish between documents in the result set and simplify the process of finding the desired document.

In some embodiments of the invention, a user may trigger the user interface to present user metrics by performing an action such as, for example, right-clicking on the document in the result set. A pop-up window **802** may be provided, as illustrated in FIG. 8. Pop-up window **802** may display, for example, document name, document location, the number of times the document has been opened by the user, the total amount of time the user has spent on the document, and/or other user metrics.

In some embodiments of the invention, user metrics may be displayed when a user hovers over a document in the result set. Hovering over a document may cause a change in the calendar and/or histogram graphical representations. For example, as illustrated in FIG. 9, calendar **902** may highlight days on which the selected document has been accessed. Histogram **904** may provide additional user metrics. For example, the x-axis of histogram **904** may display the dates in which the user accessed the selected document, while the y-axis illustrates the amount of time the user spent on the document. Small icons, such as icons **906**, may be presented on histogram **904**, indicating the amount of time the user spent on the document. Other icons may also be presented, for example, a printer icon, book icon, and/or envelope icon may be presented to indicate that the user has printed, read, and/or emailed the document, respectively. Other icons may be presented indicating editing of a document, forwarding, replying, and/or other document related actions, as would be apparent.

While certain actions have been described above, other actions may be used to present user metrics to the user. For example, a user may single click on a document to change the views of the histogram and calendar, or the user may double click on a document to open a new window providing user statistics.

According to an embodiment of the invention, user metrics may be provided directly in the results set without requiring additional actions to be performed. FIG. 10 illustrates a result set **1000** which provides user metrics. User metrics illustrated in result set **1000** may include, for example, the total viewing time for each document, the amount of time the document was viewed, and the date the document was last accessed. Other user metrics may be provided, as would be apparent.

According to another aspect of the invention, the system may be integrated into a user's email and calendar application. A user may quickly obtain documents relevant to a particular email message or calendar entry. A user interface for searching based on a user's email and calendar entries may be integrated with the email applications in some embodiments, or may be a standalone application.

FIG. 11 illustrates an example of a calendar view **1100** associated with an email program such as, for example, Lotus Notes. As illustrated, several meetings **1110** are listed on calendar **1100**. A user wishing to view documents related to a scheduled meeting may do so by selecting the meeting and choosing an option to search for related documents. Options may be provided by various ways, such as, for example, "right-clicking" on a meeting to bring up a pop-up menu, choosing an option from Actions menu **1112**, or other methods as would be apparent. Search criteria may also be created from an email message. Search criteria may include, for example, the title of the meeting, subject of the email message, keywords from the body of an email message, names of meeting invitees, and/or other criteria.

Desktop integration module **102** may obtain content and metadata from calendar **1100** regarding the selected meeting. Indexing module **104** may use the retrieved metadata and content data and compare it to the indexed data for all stored documents. Documents having matching content data and/or metadata may be returned as being related to the selected meeting. In other embodiments, authors of documents may associate the document with certain meetings. In some embodiments of the invention, only documents accessed on the day of the meeting are retrieved while in other embodiments, all accessed documents related to the meeting are returned.

Once the user has been presented with search results, the user may modify the search to more quickly find desired documents. For example, the user may input additional keywords, use document type filters to return only documents of certain types, restrict the search to one or more dates, and/or other search modifications.

According to another aspect of the invention, a system may be provided, enabling a user to search a local workstation from a remote portal location. As used herein, local workstation may refer to the workstation that is assigned to a particular user and from which the user typically works. A user may have access to documents stored on their local device and may be able to integrate these documents into a portal integration environment.

As described above, in some embodiments of the invention, an index and control program may be downloaded to a user's workstation the first time a query is made using the portlet. In addition to the index and control programs, a web responder may also be installed. FIG. 12 illustrates a block diagram **1200** of the system including web responder **1202**. In some embodiments of the invention, web responder **1202** listens for inbound queries from Enterprise Portal Server **1204** over network **1206**. Once web responder **1202** has been installed, queries from Enterprise Portal Server **1204** may be accepted at user terminal **1210**.

A user may perform a search from Enterprise Portal Server **1204** in a manner similar to performing a local search. The user may enter a search query into a portal page, such as the portal illustrated in FIG. 2. The query may then be sent to the local workstation where the web responder has been installed. An index at user terminal **1210** may then process the query and return the results in a format supported

11

by Enterprise Portal Server **1204**, such as, for example, the XML format. Results may then be formatted and presented to the user.

According to one embodiment of the invention, searching a local workstation index may be performed as a part of a search from another application. For example, a single search may be used to search a user's workstation, email documents, and/or a corporate document management system using a search engine integrated with the document management system. Search results may be combined into one display. In an alternative embodiment, only the user's own documents are searched using the index at the user's workstation.

While particular embodiments of the invention have been described, it is to be understood that modifications will be apparent to those skilled in the art without departing from the spirit of the invention. The scope of the invention is not limited to the specific embodiments described herein. Other embodiments, uses and advantages of the invention will be apparent to those skilled in art from consideration of the specification and practice of the invention disclosed herein. The specification should be considered exemplary only, and the scope of the invention is accordingly intended to be limited by the following claims.

What is claimed is:

1. A computer implemented system of providing a histogram displaying one or more documents that a user has previously accessed, comprising:

- a first central processing unit hardware component configured to receive a search query to perform a search of an index of one or more documents that a user has previously accessed, said search query including one or more keywords; and
- a second central processing unit hardware component configured to present a chronological histogram characterizing one or more documents matching said search query, wherein said chronological histogram includes:

12

a first axis providing a timeline for indicating a date when individual ones of said one or more matching documents were accessed by the user; and

a second axis providing two or more variables simultaneously characterizing individual ones of said one or more matching documents, wherein said two or more variables include

- (1) a relevance variable indicating relevance to the search query of individual ones of said one or more matching documents, and
- (2) a duration variable indicating a duration for which individual ones of said one or more matching documents were used by the user.

2. The system of claim 1 wherein said histogram displays a data and a time of access for individual ones of said one or more matching documents said user has previously accessed and a duration for which individual ones of said one or more matching documents said user has previously accessed was used by the user.

3. The system of claim 1 wherein said index includes parameters determined from metadata and content data extracted from documents being monitored for predetermined events while they are accessed by the user, thereby enabling the documents to be searched later.

4. The system of claim 3 wherein said metadata includes at least one of: date and time a document was created, opened, closed, modified, or accessed; amount of time spend on document; number of times a document has been viewed or accessed; or whether or not a document was printed or emailed.

5. The system of claim 3 wherein said content data includes at least one of: words found in a document; keywords stored with a document; title of a document; author of a document; document type; or document size.

6. The system of claim 3 wherein said predetermined events include at least one of: opening a document; closing a document; printing a document; or emailing a document.

* * * * *